



S922

Waterproof, Dustproof and Shockproof Portable Fingerprint Time & Attendance Terminal

S922 Portable Fingerprint Time and Attendance Terminal is specifically designed for off-site time management, such as construction sites, logistic industries, large farms, mining industry, etc. and can store 50,000 fingerprint and 50,000 card templates. Top handle with rubber coating enables users to carry easily.

Features

- Built-in 7600 mAh backup battery extends extra operation time
- IP65 rated waterproof and dustproof protection grade
- Shock proof (0.5m above the ground) with unique rubber coating
- Communication: TCP/IP, USB-host, Optional: Wi-Fi/3G
- Multiple authentications: support fingerprint, ID card or Mifare Card
- Fingerprint Capacity: 50,000
- Card Capacity: 50,000



IP65



Rugged Enclosure



3G



Fingerprint



RFID




Backup Battery


Specifications

Display	3.5-inch TFT Screen
Fingerprint Capacity	50,000
Card Capacity	50,000 (ID Card)
Transaction Capacity	800,000
Fingerprint Sensor	ZK Optical Sensor
Algorithm Version	ZKFinger VX10.0
Communication	TCP/IP, USB-host ; Optional with Wi-Fi/GPRS/3G (WCDMA)
Standard Functions	ADMS, Work-code, DST, Self-Service Query, Automatic Status Switch, T9 Input, Photo-ID, 9 Digit User ID, Short Message, ID Card
Optional Functions	HID /Mifare Card
Protection Grade	IP65
Power Supply	12V 3A DC; Built-in Backup 7600 mAh Battery
Operating Temperature	0 °C- 45 °C
Operating Humidity	20%-80%
Net weight	1.65kg
Dimension	225 x235x125(mm) HxWxD


Configuration




What's in the Box



S922



AC Power Adapter



Backup battery



ZKTeco Middle East
Email: zk_me@zkteco.com
www.zkteco.me

© Copyright 2014, ZKTeco Inc. ZKTeco Logo is a registered trademark of ZKTeco or a related company. All other product and company names mentioned are used for identification purposes only and may be the trademarks of their respective owners. All specifications are subject to change without notice. All rights reserved.

