

User Manual

Under Vehicle Inspection Mirror

Applicable model: ZK-M3

Version: 1.0

Date: 10/2018

Introduction

For places where require high level security, such as checking point in government building and custom, under vehicle inspection mirror is an ideal device for checking undercarriage of vehicle. This device helps operator accurately identify forbidden objects which attached to the underside of vehicles. It greatly improves the efficiency and accuracy of security check.



Components

1. Handle curved rod
2. Intermediate connecting rod
3. Extension rod
4. Tail connecting rod
5. Flashlight mounting bracket
6. Flashlight (no battery is included)
7. Mirror with wheels
8. 13mm spanner



Figure 1. Handle curved rod Figure 2. Intermediate connecting rod Figure 3. Extension rod



Figure 4. Tail connecting rod



Figure 5. Flashlight mounting bracket



Figure 6. Flashlight



Figure 7. Mirror with wheels



Figure 8. 13mm spanner

Specifications

| | |
|-----------------|-------------------|
| Mirror diameter | 300mm |
| Rod length | 1,200-1,400mm |
| Light source | LED |
| Device weight | 1.6kg |
| Package weight | 2.42kg |
| Package size | 860mm*290mm*330mm |

Notes

1. Please use dry cloth to clean the mirror surface before checking items.
2. This device is not suitable for condition when height between item and mirror surface is more than 100mm.
3. The abandoned batteries must be handled in accordance with the local laws or rules.
4. Copyright 2018 ZKTECO CO., LTD. All rights reserved. There is not notice if this user manual is updated.

ZK Building, Wuhe Road, Gangtou, Bantian, Buji Town,
Longgang District, Shenzhen China 518129
Tel: +86 755-89602345
Fax: +86 755-89602394
www.zkteco.com

