

Electric Lock

Electric Strike

AL-130NO/NC



- Standard, concealed installation
- Power-off to lock(NO) Power-on to lock(NC)
- Working Voltage: DC12V input
- Working Current: 240mA(NO) 120mA(NC)
- Holding Force: 250kg
- Weight: 0.37kg
- Lock jaw size: 29×17×11mm
- Lock body size: 150×28×35mm
- Suitable for: Wooden door
- Fail Secure/Fail Safe

AL-131NO/NC



- Wide-mouthed, concealed installation
- Power-off to lock(NO) Power-on to lock(NC)
- Working VoltageDC12V input
- Working Current240mA(NO) 120mA(NC)
- Holding Force: 400kg
- Weight 0.38kg
- Lock jaw size 45×17×11mm
- Lock body size 150×28×35mm
- Suitable for: Metallic door
- Fail Secure/Fail Safe

AL-132NO/NC



- Special, wide-mouthed, concealed installation
- Power-off to lock(NO) Power-on to lock(NC)
- Working Voltage: DC12V input
- Working Current: 240mA(NO) 120mA(NC)
- Holding Force: 400kg
- Weight: 0.41kg
- Lock jaw size: 45×17×13mm
- Lock body size: 240×25×35mm
- Suitable for: Metallic door
- Fail Secure / Fail Safe

AL-133NC



- concealed installation Power-on to lock
- Working Voltage: DC12V input
- Working Current: 240mA(NO) 120mA(NC)
- Holding Force: 250kg Weight: 0.37kg
- Lock jaw size: 29×13×11mm
- Lock body size: 150×28×35mm
- Suitable for: Metallic door
- Fail Safe

AL-100



- Concealed installation
- Power-on to lock, Door status signal NC output
- Working Voltage: DC12V input
- Working Current: 350mA
- Holding Force: 1000kg
- Weight: 0.72kg
- Size: 200×35×38mm

AL-300



- Concealed installation
- Power-on to lock, lock status LED display, Door status signal NC output
- Working Voltage: DC12V input
- Working Current: 350mA
- Holding Force: 1000kg
- Weight: 0.77kg
- Size: 200×35×38mm

AL-100PF



- Electric bolt bracket in frameless glass door
- For installation of the drop bolt
- 8 -12mm thick frameless glass doors

AL-200PZ



- Electric bolt bracket in frameless glass door
- For installation of lock
- 8 -12mm thick frameless glass doors

Electromagnetic Lock

AL-180M



- Power-on to lock
- Holding Force: 150kg
- Working Voltage: DC12V input
- Weight: 1.02kg
- Size: 198×21×35mm

AL-180



- Power-on to lock Working
- Voltage: DC12V input
- Holding Force: 150kg
- Weight: 1.07kg
- Size: 166×21×41mm

AL-180D



- Power-on to lock Working
- Voltage: DC12V input
- Holding Force: 2×150kg
- Weight: 2.15kg
- Size: 332×21×41mm

AL-280(LED)



- Power-on to lock
- Holding Force: 270kg
- Working Voltage: DC12V/24V input
- Weight: 1.97kg
- Size: 253×25×48mm

AL-280D(LED)



- Power-on to lock
- Holding Force: 2×270kg
- Working Voltage: DC12V/24V input
- Weight: 3.90kg
- Size: 506×25×48mm

AL-350(LED)



- Power-on to lock
- Holding Force: 300kg
- Working Voltage: DC12V/24V input
- Weight: 2.46kg
- Size: 253×28×55mm

AL-350D(LED)



- Power-on to lock
- Holding Force: 2×300kg
- Working Voltage: DC12V/24V input
- Weight: 4.92kg
- Size: 506×28×55mm

AL-500(LED)



- Power-on to lock
- Holding Force: 500kg
- Working Voltage: DC12V/24V input
- Weight: 4.48kg
- Size: 280×38×70mm

AL-500D(LED)



- Power-on to lock
- Holding Force: 2×500kg
- Working Voltage: DC12V/24V input
- Weight: 8.96kg
- Size: 560×38×70mm

Electric Cabinet Lock

AL-400



- Electric lock for storage box
- Power Supply: DC 12V 0.6A
- Dimension: 54.5mm×41mm×28mm

Brackets for electromagnetic locks

AL-180/280/350PL



- L bracket for AL180/280(LED)/350(LED)
- To install the lock body

AL-500PL



- L bracket for AL-500(LED)
- To install the lock body

AL-180/280/350DPL



- L bracket for AL180D/280D(LED)/350D(LED)
- To install the lock body

AL-500DPL



- L bracket for AL-500D(LED)
- To install the lock body

AL-350PU



- U bracket for AL-350/350D
- To install the iron plate on the glass door (the lock body install on the frame door)

AL-180/280PU



- U bracket for AL180/280/180D/280D
- To install the iron plate on the glass door (the lock body install on the frame door)

AL-500PU



- U bracket for AL-500/500D
- To install the iron plate on the glass door (the lock body install on the frame door)

AL-500PZ



- Z bracket for AL-500(LED)/AL-500D(LED)
- To install the iron plate

AL-180PZ



- Z bracket for AL-180
- To install the iron plate

AL-280/350PZ



- Z bracket for AL-280(LED)/AL-280D(LED)/AL-350(LED)/AL-280D(LED)
- To install the iron plate

